

---

# CONSUMER PRODUCTS

---



## LIQUID ALL PURPOSE CLEANER

Based on Acusol 810-A

MATERIALS	PARTS BY WEIGHT (as supplied)
Water (Deionized)	74.30
Acusol 810-A <sup>(1)</sup>	4.70
Sodium hydroxide (30%)	1.00
TKPP (granular)	10.00
Neodol 25-9 <sup>(2)</sup>	10.00
<hr/>	
TOTAL	100.00

**Mixing instructions :** Add ingredients in the order listed.

**Physical characteristics :**

pH	: 8.5
Brookfield viscosity (LV #2, 60 rpm)	: 500 cPs
Weakly pseudo plastic rheology (6/60 index)	: 2,3
Appearance	: milky white
Stability checked for 2 months at RT and 40°C.	
Not recommended for spray applications.	

**Other information :**

- <sup>(1)</sup> anionic thickener/stabilizer - Rohm & Haas
- <sup>(2)</sup> alcohol ethoxylate 9EO - Shell

REF. CC01-06C3

08/2000

“These suggestions and data are based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions before adopting them on a commercial scale”.

“**SAFETY RECOMMENDATION** : We recommend that, when evaluating or making the formulations, proper laboratory safety practices be observed, and that you check with the suppliers of raw materials the specific hazards of each component”.

**ROHM AND HAAS COMPANY EUROPEAN LABORATORIES**