
CONSUMER PRODUCTS



HAND DISHWASH LIQUID

Based on Acusol 820 and Acusol OP301

| MATERIALS | PARTS BY WEIGHT (as supplied) |
|--------------------------------------|----------------------------------|
| Water (Deionized) | 57.70 |
| Acusol 820 ⁽¹⁾ | 2.60 |
| Glucopon 600 UP (50%) ⁽²⁾ | 10.00 |
| Hostapur SAS 60 (60%) ⁽³⁾ | 23.30 |
| Neodol 25-9 ⁽⁴⁾ | 3.00 |
| Acusol 750 ⁽⁵⁾ | 0.50 |
| NaOH (1N) | 2.90 |
| | ----- |
| TOTAL | 100.00 |

Mixing instructions : Add water, Acusol 820, Glucopon 600 UP and under vigorous stirring, slowly add Hostapur SAS60, Neodol 25-9. Then adjust the pH, and add Acusol 750 pre-diluted 1 part polymer to 3 parts water.

Physical characteristics :

| | |
|----------------------------------|-----------|
| pH | : 7 |
| Brookfield viscosity (LV,60 rpm) | : 500 cPs |
| Appearance | : creamy |

Other information :

- ⁽¹⁾ anionic thickener/stabilizer - Rohm & Haas
- ⁽²⁾ APG - Henkel
- ⁽³⁾ paraffin sulphonate - Clariant
- ⁽⁴⁾ alcohol ethoxylate 9EO - She ll
- ⁽⁵⁾ opacifier - Rohm & Haas

REF. AB-08-78

05/2000

“These suggestions and data are based on information we believe to be reliable. They are offered in good faith, but without guarantee, as conditions and methods of use of our products are beyond our control. We recommend that the prospective user determine the suitability of our materials and suggestions before adopting them on a commercial scale”.

“**SAFETY RECOMMENDATION :** We recommend that, when evaluating or making the formulations, proper laboratory safety practices be observed, and that you check with the suppliers of raw materials the specific hazards of each component”.

ROHM AND HAAS COMPANY EUROPEAN LABORATORIES